



BARRACUDA®

Processes:

Non-ferrous Metals
Steel Cans
Aluminum Cans
Paper Stock
Secondary Fibers
PET
HDPE

The Harris Barracuda® is a small, economical horizontal closed-door baler with a small footprint which makes it an ideal baler for small to medium processors.





Press Box Dimensions	60"W x 30"D x 92"L (152cm x 76cm x 234cm)	
Charging Box Opening	56.75" W x 45"L (144cm x 114cm)	
Hopper Opening	92"W x 54.75"L (manual feed) (234cm x 139cm)	
Compression Chamber Size	60"W x 30"D x 40"L (152cm x 76cm x 102cm)	
Approx. Expanded Bale Size	45"W x 30"D x 60"L (114cm x 76cm x 152cm)	
Bale Weight (average)	Non-ferrous	1100-2000 lbs. (499-907 kg)
	Steel Cans	1200-1300 lbs. (544-590 kg)
	Aluminum UBC	650-800 lbs. (295-363 kg)
	OCC	1000-1200 lbs. (454-544 kg)
	ONP	1200-1400 lbs. (544-635 kg)
	Office	1200-1300 lbs. (544-590 kg)
	Magazines	1600-2000 lbs. (726-907kg)
	PET	700-900 lbs. (318-408 kg)
HDPE	950-1050 lbs. (431-476 kg)	
<i>PERFORMANCE RATES, BALE WEIGHTS, AND BALE DENSITIES ARE SUBJECT TO MOISTURE CONTENT, MATERIAL PRE-BALE DENSITIES, FEED RATES, AND OTHER VARIABLES IN BALING</i>		
Bale Volume	42 cubic feet (1.2 cubic m)	
Approx. Expanded Bale Volume	47 cubic feet (1.3 cubic m)	
Baling Cycle	approx. 31 sec. dry cycle time (10" from door)	
Ram Face Pressure	117 PSI 10" from door (8 bars 25cm from door)	
Electric Motors	One (1) 40 HP, 1750 RPM, 208/230/460v, 3 phase, 60 Hz, TEFC enclosure	
Main Pump	One (1) 47 GPM, 5000 p.s.i. ((1) 178 LPM, 345 bars)	
Cylinders	(2) 5.5" bore, 118 tons total ((2) 14cm bore, 107 tonne total)	
Filtering	3 micron pressure filter	
Shipping Weight	12.5 tons, approx. (11.3 tonnes, approx.)	

Call today for more information

770-631-7290

800-373-9131

www.harrisequip.com

*All products and features are subject to change. Photos not necessarily representative of new equipment



Harris ©2010 - Barracuda10 -